

HYDROFLUOSILICIC ACID

AVOID CONTACT WITH
SKIN, EYES, MOUTH &
CLOTHING



**DANGER
POISON**



DIRECTIONS FOR WATER FLUORIDATION: Application of this product for water fluoridation is subject to approval of all interested state and local health authorities. Its use should conform to the American Water Works Association's "Statement of Recommended Policy and Procedure."

AVOID BREATHING
FUMES OR VAPOR

DO NOT TAKE INTERNALLY

WARNING

Exact dosage must not raise the total fluoride concentration in drinking water above 1.5 ppm. (U.S. Public Health Service maximum limit)

IF MATERIAL IS SPILLED OR RELEASED, NEUTRALIZE WITH LIME AND DISPOSE AS CALCIUM FLUOSILICIC WASTE

SPECIAL PROTECTION INFORMATION: RESPIRATORS APPROVED FOR FLUORINE, RUBBER GLOVES, CHEMICAL GOGGLES AND A PROTECTIVE APRON OR ACID RESISTANT CLOTHING SHOULD BE USED SPECIAL PRECAUTIONS SHOULD BE TAKEN IN HANDLING AND STORING MATERIAL: AVOID STORAGE IN GLASS CONTAINERS.

WHEN MATERIAL IS CONTACTED WITH FIRE, FLUORIDE GAS MAY BE RELEASED. OVEREXPOSURE TO MATERIAL MAY CAUSE CONSTRICTED BREATHING COUGHING, SKIN REDNESS, OR BURNING OF THE THROAT.

ANTIDOTE

SKIN: COPIOUS AMOUNTS OF WATER FOR 15 MINUTES.

INTERNAL: CONTACT PHYSICIAN

OTHER: CONSULT PHYSICIAN IN THE EVENT INGESTION HAS OCCURRED,
GIVE COPIOUS AND REPEATED AMOUNTS OF WATER OR A WEAK SOLUTION OF CALCIUM CHLORIDE